45

Fiat

SHOWER BATH COMPARTMENTS

Shower Bath Receptors
Brass Chrome Plated
Glass Shower Doors

■

FIAT METAL MFG. COMPANY

New York Office
101 Park Avenue
NEW YORK

Main Office & Factory
1201 ROSCOE STREET
CHICAGO, ILL.

Boston Office
11 Beacon Street
BOSTON, MASS.

Represented by

CHARLES MILLAR & SON CO.
DISTRIBUTOR
St. Johnsbury, Vermont.

Whether Building or Remodeling ◆ Install FIAT Shower Bath Compartments

FIAT Shower Doors



Standard Sizes

24″x72″
26″x72″
25″x74″
26″x75″
26″x76″
26″x78″
27″x78″

Other Sizes furnished according to Specifications

The Senior Door

Fiat Brass Chrome Plated Glazed Shower Doors are adaptable to all types of shower inclosures, Fiat Compartments, marble, tile inclosures, etc. Built in two models—Senior and Junior with the frames and jambs of the Senior model being of a heavier construction. The same type of glass (clear or obscure) and the same quality of chromium plating prevails in both models which are furnished with 7″ grille vents with square bars. Both Senior and Junior models are equipped with an exclusive water table and drain gutter which prevents water dripping from opened door to floor. Fiat Glass Shower Doors with heavy chrome plating over brass do not tarnish.

Fiat Receptors

FIAT precast receptors, with chrome plated strainer cast integral, are complete one-piece water-tight shower floors which eliminate the use of the lead pan, special drains, fittings, groutings and all other expensive methods of shower floor construction. They are adaptable to other types of shower inclosures such as marble and tile, etc. and can be set on either rough or finished floors. Fiat precast receptors are not attached to the building in any way and consequently are not affected by the expansion, contraction, shrinking or settling of the building structure. Note below the rugged construction of Fiat precast receptors. The aggregate, with the heavy perforated steel flange, to which the compartment walls are attached, is cast integral and steel mesh re-inforcement, is thoroughly puddled and tamped in a mould thus making a composition of maximum density. After removal from the mould the formed receptor remains in the curing room for from two to four weeks and from which it emerges fully seasoned and is then polished and dressed. The composition of Fiat receptors varies with the class of shower compartment as described below.

RECEPTOR COMPOSITIONS

REGULAR RECEPTOR
(Terrazzo-Carbotex and Stonetex)



CORNER RECEPTOR
(Terrazzo Only)

Terrazzo (Admiral and Ensign Models)—Aggregate of white cement, black and white marble chips and chemical waterproofing.

Carbotex (Admiral No. 5 and Warrant Models)—Aggregate of white cement, crushed stone with carborundum finish and chemical waterproofing.

Stonetex (Marine and Neptune Models) — Aggregate of gray and white Portland cement and crushed stone, chemically waterproofed —cream gray color.



EXTENDED RECEPTOR
(Terrazzo-Carbotex)



DE LUXE RECEPTOR
(Terrazzo-Carbotex)

Outside Horizontal Dimensions
FIAT COMPARTMENTS
Admiral, Ensign and Warrant Models

REGULAR RECEPTOR			EXTENDED RECEPTOR		
Width	Depth	Height	Width	Extension	Total Depth
30″	30″	82″	30″	12″	42″
30″	32″	82″	.....	.....	.....
32″	32″	82″	32″	12″	44″
34″	34″	82″	34″	12″	46″
30″	36″	82″	.....	.....	.....
36″	30″	82″	36″	12″	42″
36″	36″	82″	36″	12″	48″
36″	42″	82″	.....	.....	.....
42″	36″	82″	42″	12″	48″
42″	42″	82″	.....	.....	.....
46″	36″	82″	.....	.....	.....
48″	30″	82″	.....	.....	.....
48″	36″	82″	.....	.....	.....
46″	44″	82″	.....	.....	.....

CORNER TYPE
(Furnished in Admiral and Ensign models)

36″	36″	82″	.....	.....	.....

NOTE:—Extended receptor extends 12″ in front of compartment. For compartment sizes see regular receptors. See overleaf for sizes of Marine and Neptune models.

Easy to Assemble

Assembling Fiat Shower compartments is an easy task. They are shipped knocked-down—can be quickly set up in any room of heighth clearance and when assembled are an attractive and sanitary bathing unit.



FIAT Shower Compartments are accessible through any door opening — are shipped knocked-down — easily assembled at point of installation.



This shows the laying of the precast receptor—either on the finished or rough floor.

The Fiat Bath Tub Enclosure



THE Fiat Bath Enclosure as shown above is a practical and attractive addition to modern bath-room equipment. This unit is especially adaptable to the recessed bathtub and may be had in either one or two panels with a Fiat Senior glass door. The glass panels are set in a rubber channel which is set in a frame of chrome plated brass similar in detail to the construction of the Fiat SENIOR Door. The panels are securely attached to the tub and end supporting walls in a thoroughly leak-proof manner. **Fiat Bath Enclosures** are shipped knocked-down and are easily handled and assembled. Prices upon application. Numerous designs available.

DE LUXE RECEPTOR
For Admiral and Ensign Models
The leakproof flange top, for wall attachment is level with the finished outside edge of the cast receptor.


Finished Terrazzo Edge.
One-half inch expanded steel mesh reinforcing extends across entire receptor.
No sharp corners or crevices.

REGULAR RECEPTOR
For all models.


Galvanized steel flange thoroughly embedded in the body of receptor encases bottom of compartment, making leakage impossible.
Perforations in flange insure bond.
One-half inch expanded steel mesh reinforcing extends across entire receptor.
No sharp corners or crevices.



ROUGHING-IN, MEASUREMENTS
CORNER RECEPTOR

The waste openings are always in center of receptor proper, except in the corner receptor.

Four and one-half inch flat head strainer and drain is of brass chromium plated with



removable face set flush with receptor floor allows for inside caulking of 2″ waste pipe connection. Lead connection can be used by soldering it inside shoulder of drain.

Metal drain, integral with receptor is set over 2″ iron drainage "P" trap, which is furnished by others.

Shower Valve and Head Assembly for Admiral, Ensign and Warrant Models



THE above 6″ center to center individual combination hot and cold brass valves and shower head are furnished in all metal chrome trim. All working parts of the valve are accessible from the interior of the compartment. The above assembly is specially designed with adjustable screw lock flanges which hold the valve and head rigidly to compartment walls. The shower head has a special short arm with adjustable ball joint.

A concealed type mixing valve with screw lock flanges and volume control shower head in all metal trim, chrome plated can be furnished at small additional cost.

Shower Valve and Head Assembly for Marine and Neptune Models



THE above valves on 3⅜″ centers have the accessible parts feature of the larger valves. The self cleansing, water saving shower head with adjustable spray assures economical operation. All exposed parts are chrome plated. Screw lock flanges assure a tight connection of the fixtures to the compartment wall.

FIAT METAL MANUFACTURING COMPANY

MAIN OFFICE AND FACTORY — 1201 ROSCO
New York Office: 101 PARK AVENUE *(Representatives in Principa*

Whether Building or Remodeling ▲▲▲ Install FIAT Shower Bath Co

Fiat Facts!

FIAT METAL MANUFACTURING CO., Chicago, Ill., originated the knocked-down leak-proof shower compartment and is the only manufacturer of a vitreous (porcelain) enameled shower compartment—SEE THE ADMIRAL LINE.

INSTALLING a Fiat Shower Bath Compartment is extremely easy. It comes knocked-down, can be set up in any room and when assembled is a practical sanitary bathing unit and an attractive addition to modern bathroom equipment.

ALL Fiat Shower Bath Compartments from the elaborate Admiral to the low priced Marine and Neptune as displayed and described herein have the same spring-keyed patented corner joint insuring absolutely leak-proof wall construction.

THE Fiat leakproof precast receptor has entirely eliminated the necessity for the lead pan, grouting and expensive drains designed to catch leakage so common in other shower floorings.



Design No. 1 Admiral
With Regular Receptor and Junior Glass Door
Can be furnished with extended receptor.

Walls and top of White Vitreous (Porcelain) enamel. In colors at small additional cost. When installed in recess exterior of hidden walls is of black ground coat vitreous enamel—otherwise exterior of exposed walls finished same as interior at slight additional cost. Hollow metal doorway frames of 16 gauge galvanealed steel finished in baked-on enamel to match or contrast with interior. Receptor of precast polished Terrazzo with chrome plated strainer cast integral. Standard equipment includes chrome plated hot and cold water valves and shower head (mixing valve can be supplied or walls drilled for any valve combination), chrome plated soap dish and curtain rod. Can be furnished with (or without) **Fiat Senior or Junior Glass Door**—size 24"x72". See overleaf and price bulletin for size and price information.



Design No. 2A Admiral – with Regular Receptor
Can be furnished with extended receptor.

Walls and top of White (Porcelain) Vitreous Enamel. In colors at small additional cost. Door entrance frame and side wall are one piece—door stiles vitreous enameled inside and out and beautifully decorated—black and white. When not installed in recess and one or both sides are exposed, exposed surfaces can be finished same as interior. Receptor of precast polished Terrazzo with chrome plated strainer cast integral. Standard equipment includes chrome plated combination valves and shower head (mixing valve can be supplied or walls drilled for any valve combination). Can be had with or without Fiat Glass Shower Door. See overleaf and price bulletin for further details.



Design No. 3 Admiral
Corner Compartment

Walls and top of White Vitreous (Porcelain) enamel. In colors at small additional cost. Hidden walls of black ground coat vitreous enamel. Exposed front small panels finished inside and out. Hollow metal doorway frames of 16 gauge galvanealed steel finished in baked-on enamel to match or contrast with interior. Receptor of polished precast Terrazzo with chrome plated strainer cast integral. Standard equipment includes chrome plated hot and cold water valves and shower head (mixing valve can be supplied or walls drilled for any valve combination), chrome plated soap dish and curtain rod. Can be furnished with (or without) **Fiat Senior or Junior Glass Door**—size 22"x72". See overleaf and price bulletin for detailed size and price information.



Design No. 4A De Luxe Chrome-stile Admiral
(With Regular Receptor)
Can be furnished with extended receptor.

Walls and top of White Vitreous (Porcelain) enamelled iron. In colors at small additional cost. **Designed for Installation where one or both sides and front are exposed.** Exposed surfaces finished same as interior. Door entrance frame of chrome plated brass tubing. Receptor of pre-cast, polished terrazzo with chrome plated strainer. Standard equipment includes chrome plated hot and cold water valves and shower head (Mixing valve can be furnished or walls drilled as specified), chrome plated soap dish and curtain rod. Compartment can be furnished with (or without) Fiat Senior or Junior Glass Door (24x72). See overleaf and price bulletin for further details.



Design No. 6 Ensign
Shown with Extended Receptor, Also Furnished with Regular Receptor (See Design No. 1 Admiral)

Walls and top of No. 16 Ga. Rust-proofed Galvanealed steel finished in white baked-on enamel (Colors to suit or prime coat only can be furnished). Receptor of pre-cast polished terrazzo with chrome plated strainer. Extended receptor has 12" extension beyond front of compartment proper. Standard equipment includes chrome plated hot and cold water valves, soap dish and curtain rod. The No. 6 Ensign with regular receptor can be furnished with (or without) Fiat Senior or Junior Glass Door (24x72). See overleaf and price bulletin.

Design No. 8 Corner Ensign is same type as No. 3 Admiral (see cut).

Design No. 9A and 9B De Luxe Chrome stile Ensign are same type as No. 4A and 4B De Luxe Admiral.



Design No. 12 Warrant
With Regular Receptor—Can Be Furnished with Extended Receptor

Walls (top can be furnished at small additional cost) of 16 gauge galvanealed rustproofed steel finished in white baked-on enamel. Other colors at no extra cost or finished in prime coat only if desired. Receptor of white Carbotex (aggregate of white cement and carborundum flakes) with chrome plated strainer cast integral. Standard equipment includes chrome plated combination valves and shower head (mixing valve can be supplied or walls drilled for any valve combination), chrome plated soap dish and curtain rod. Can be furnished with (or without) Fiat Senior or Junior Glass Door—size 24"x72". This model may also be had with extended receptor which extends 12" in front of compartment proper. See overleaf and price bulletin for detailed size and price information.


QUALITY
Will last as long as a bath tub—has the same vitreous enamel finish and is positively rust-proof.
ADAPT-ABILITY
If any or all of the sides are exposed they can be finished same as interior. Knocked-down construction – and easily erected.
BEAUTY
Light blue stipple on white background with black striping on door stiles—gives a pleasing decorative appearance.
STRENGTH
Front stile, back corner are formed to give structural strength—walls are attached to receptor flange making a solid unit.
SAFETY
Carbotex receptor (see overleaf) is slip-proof and leakproof. Precast, with carborundum finish, chemically water-proofed.
LEAK-PROOF
Steel flange cast integral with receptor encasing compartment walls to which walls are attached forming a watertight joint.

ADMIRAL – NO. 5

Announcing the latest addition to the Fiat Line of leakproof shower compartments. An innovation in shower compartment construction—**an all Vitreous (Porcelain) Enamel Shower Compartment at a price within the reach of all.** Note above the features of the latest FIAT. Made in two sizes, 32x32x82 in. and 36x36x82 in. This model without top. See price bulletin for full price information.

THE NEW MARINE



Design M-32 and M-36 Marine
Furnished in Above Design Only

Walls (no top) of 18 gauge rust-proofed galvanealed steel finished in grey or green baked-on enamel. Other colors at small additional cost. Receptor of Stonetex (aggregate of grey and white Portland cement and crushed stone chemically waterproofed—cream grey color) with chrome plated strainer cast integral. Standard equipment includes chrome plated individual compression valves with adjustable self-cleansing shower head. Chrome plated curtain rod with white duck curtain and hooks. Built in two sizes only—32x32¾x76 in. and 36x36¾x76 in. O.D. See overleaf and price bulletin for further details.

FIAT METAL MANUFACTURING COMPANY

MAIN OFFICE AND FACTORY — 1201 ROSCOE
New York Office: 101 PARK AVENUE *(Representatives in Principal Ci*

Fiat Facts!

FIAT Shower Bath Compartments are complete and independent sanitary bathing units with no part of the unit attached to the walls or ceiling of the building. Consequently they are not affected by the expansion, contraction, shrinking or settling of the building structure.

IN considering the installation of a shower bath compartment sound judgment should be used so that the most suitable unit be installed. Note that while all models of Fiat Shower Bath Compartments are of the same leakproof construction, the type and quality of the material used in the various models differs. The great range of Fiat leakproof showers encompasses every individual requirement.

ALL types and classes of buildings—residences, apartment houses, hotels, fraternity houses, resorts, summer homes, clubs, offices, industrial plants and so on—are equipped with Fiat showers. There is a Fiat Shower Bath Compartment for every type of building. Over 40,000 Fiat showers are in daily use in this country and abroad.

THE Fiat Metal Manufacturing Co., Chicago, Ill. with offices in New York and Boston and representatives in the principal cities of the United States and Canada gladly offers the benefit of its long experience in selecting the most suitable shower unit for any requirement.

Printed in U. S. A.

STREET — CHICAGO, ILLINOIS

Cities) **Boston Office: 11 BEACON STREET**